

Characteristic Impedance Model for Plasmonic Metal Slot Waveguides

Dany-Sebastien Ly-Gagnon, Sukru Ekin Kocabas, David A.B. Miller

Abstract—We investigate the transmission properties of a subwavelength plasmonic slot waveguide. We show that the transmission can be accurately calculated using the characteristic impedance of the propagating mode. Using such a model, we show that it is possible to design devices without extensive 3D Finite Difference Time Domain (FDTD) computer simulations. We illustrate the approach with calculations of an asymmetric Fabry-Perot germanium photodetector based on the slot waveguide geometry, showing predicted detector efficiencies as high as 69% despite metallic losses.

Index Terms—Plasmons, Photodetectors, Optical Planar Waveguide Components

I. INTRODUCTION

INTEGRATED photonic components that allow propagation of an optical mode at subwavelength size scales are expected to play an important role in bridging the gap between optics and electronics in highly integrated opto-electronic circuits. The properties of propagating modes have recently been investigated for several plasmonic structures, such as the metal nanowire [1-3], metal nanoparticle arrays [4-6] and metal slot waveguides [7-10]. In particular, metal slot plasmonic waveguides were shown to support guided modes with high confinement at infrared wavelengths [7-10]. Such structures seem promising for guiding into subwavelength nanoscale photodetectors, as they support a high integration density and propagation lengths in the range of a few microns.

In design of optoelectronic circuits based on this geometry, it is desirable to calculate the transmission and reflection properties when waveguides with different parameters are connected together. The coupling between waveguides of different geometries has recently been studied for two-dimensional plasmonic waveguides of various geometries [11-14] and three-dimensional metal strips [15-16]. However, the design of complex three-dimensional structures typically requires extensive computational efforts with computer-aided tools such as the Finite-Difference Time-Domain (FDTD) method.

Manuscript received August 15, 2007. D.S. Ly-Gagnon is supported by a Sequoia Capital Stanford Graduate Fellowship. This work was supported in part by the AFOSR Chip Scale Surface Plasmon Enabled Nano Structures MURI, the FCRP/DARPA Interconnect Focus Research Center and DARPA MTO.

D.S. Ly-Gagnon, S.E. Kocabas and D.A.B. Miller are with the Ginzton Laboratory, Stanford University, Stanford, CA 94305-4088 USA (email: dalyx@stanford.edu, kocabas@ieee.org, dabm@ee.stanford.edu)




Fig. 1 Metal slot plasmonic waveguide cross section where light propagates in the z-direction.

In this paper, we investigate the transmission and reflection properties of the guided modes in metal slot plasmonic waveguides in propagation through a series of waveguide sections with different core materials. Fig. 1 shows a cross section of a metal slot plasmonic waveguide structure, where the region indicated by ϵ_m is metal, ϵ_1 and ϵ_c are both dielectrics. This waveguide supports a bound mode where light propagates in the z-direction (normal to the plane of the figure). We show that a model that uses the characteristic impedances of different sections together can be used to calculate the transmission and reflection properties of such waveguides, even though the metal properties are quite different from those of similar guides in the microwave regime and significant loss must be included in the analysis. We then show that this model allows the design of complex waveguide structures with desired properties at a minimal computational effort by applying this technique in design of a photodetector based on an asymmetric Fabry-Perot resonator embedded in the waveguide.

II. CHARACTERISTIC IMPEDANCE MODEL

We use a transfer matrix approach that relies on the impedance of the mode to describe the behavior of the fields as they propagate through a series of different waveguides. We note that this model is analogous to the mode matching approach in microwaves where multiple modes might be considered [17-18]. However, in the case of the slot waveguide, there exists a range of parameters where the waveguide supports only one bound propagating mode. For such structures, it is possible to use a transfer matrix to relate the coefficients of the forward and backward versions of the propagating mode in a linear fashion, along with the transmission and reflection coefficients at each of the discontinuities along the propagation direction.

Considering only the fundamental mode of each waveguide, we build a network model for the propagation of the fields throughout the whole structure. Applying the boundary conditions of continuity of the tangential electric and magnetic fields reduces to

$$(A_i + B_i) = C_{i,i+1}(A_{i+1} + B_{i+1}) \quad (1a)$$

$$\frac{(A_i - B_i)}{Z_i} = C_{i,i+1} \frac{(A_{i+1} - B_{i+1})}{Z_{i+1}}, \quad (1b)$$

where A_i and B_i are the amplitudes of the forward and backward propagating modes, respectively. Elements with subindex i are located before the junction (i.e., to the left of the junction for waves incident from the left), while those with subindex $(i+1)$ are located after the junction. Z_i is the characteristic impedance of the waveguide. $C_{i,i+1}$ is the coupling coefficient that can be calculated by the mode overlap at the junction of the waveguides as

$$C_{i,i+1} = \int_S \bar{e}_{i+1} \times \bar{h}_i \cdot \hat{n} dS, \quad (2)$$

where \bar{e}_i and \bar{h}_i is the normalized tangential electrical field in the i -th cross-section, respectively, \hat{n} is the propagation direction, S is the entire cross section of the junction, and it is assumed for our model that

$$\frac{\int_S \bar{e}_{i+1} \times \bar{h}_i \cdot \hat{n} dS}{\int_S \bar{e}_i \times \bar{h}_{i+1} \cdot \hat{n} dS} \approx \frac{Z_{i+1}}{Z_i}. \quad (3)$$

For the structures under investigation, we find from simulations that this approximation is valid to about 5%.

The fields are normalized such that

$$\int_S \bar{e}_i \times \bar{h}_i \cdot \hat{n} dS = 1. \quad (4)$$

At the junction between two waveguide cross sections, we obtain a transfer matrix $T_{i,i+1}$ that relates the forward and backward propagating modes as

$$\begin{bmatrix} A_i \\ B_i \end{bmatrix} = \begin{bmatrix} 1/\tau & \rho/\tau \\ \rho/\tau & 1/\tau \end{bmatrix} \begin{bmatrix} A_{i+1} \\ B_{i+1} \end{bmatrix} = \begin{bmatrix} T(1,1) & T(1,2) \\ T(2,1) & T(2,2) \end{bmatrix} = T_{i,i+1}, \quad (5)$$

where

$$\tau = \frac{2Z_{i+1}C_{i,i+1}^{-1}}{Z_i + Z_{i+1}}. \quad (6a)$$

$$\rho = \frac{Z_{i+1} - Z_i}{Z_i + Z_{i+1}}. \quad (6b)$$

The impedance of the mode is related to the effective permittivity ϵ_{eff} and the propagation constant γ by

$$Z_i = \sqrt{\frac{\mu}{\epsilon_{eff,i}}} = \frac{j\omega\mu}{\gamma_i} \quad (7)$$

In lossy waveguides, the propagation constant $\gamma = \alpha + j\beta$ is complex, and so the characteristic impedance of the waveguide is also complex.

The propagation through a waveguide of length L can be modeled (for the specific approach we take below of calculating from the “right” to “left” in the structure) as

$$P_i = \begin{bmatrix} \exp(\gamma L_i) & 0 \\ 0 & \exp(-\gamma L_i) \end{bmatrix}. \quad (8)$$

Several sections of waveguides can be modeled by a transfer matrix analogous to that of a standard transmission line by alternating junction matrices and propagation matrices as

$$\begin{aligned} \begin{bmatrix} A_i \\ B_i \end{bmatrix} &= T_{i,i+1} P_{i+1} T_{i+1,i+2} P_{i+2} \dots T_{i+n-1,i+n} \begin{bmatrix} A_{i+n} \\ B_{i+n} \end{bmatrix} \\ &= T_{i,i+n} \begin{bmatrix} A_{i+n} \\ B_{i+n} \end{bmatrix}. \end{aligned} \quad (9)$$

Thus, by knowing the propagation constants of a given waveguide section, the transmission properties of an arbitrary waveguide can be calculated.

III. NUMERICAL MODELS

We used a two-dimensional full vectorial mode-solving approach as proposed by Lusse *et al.* [19] to solve for the properties of the actual propagating modes in each waveguide where the properties of materials are different, hence obtaining the necessary parameters to use in transfer matrix methods. With appropriate initial conditions, these calculations can be executed in a few minutes on a personal computer.

We also used Finite-Difference Time Domain (FDTD) simulations to verify the values of the propagation constants obtained by the mode solving approach [20]. The FDTD uses magnetic and electric walls at symmetry planes to reduce the computation effort. Convolution perfectly matched layers (C-PML) surround the structure in all directions. For these simulations, the guide is excited by a magnetic dipole located in the core region of the waveguide with a sinusoidal signal wrapped in a Gaussian envelope.

Our study focuses on gold as the metal. We model the gold as a Drude metal and its permittivity is given as

$$\epsilon(\omega) = 1 - \frac{\omega_p^2}{\omega^2 + i\gamma_p\omega}, \quad (10)$$

where $\omega_p = 1.204 \times 10^{16}$ rad/s and $\gamma_p = 1.375 \times 10^{14}$ rad/s [21].

The propagation constants from the FDTD were calculated by observing the phase variation and the decay of the mode along the propagation direction. While no attempt was made to mitigate numerical dispersion in the grid, we found a difference in propagation constant of less than 2% between the FDTD and the mode solving approach. To minimize numerical artifacts in comparing our transfer matrix results to the full FDTD simulations of the structure, we used the propagation constants from the FDTD simulations in calculations involving the impedance model, though we believe, given the agreement between the two approaches, that the faster mode-solving approach is otherwise generally sufficient.

The effective refractive index n_{eff} is related to the imaginary part of the propagation constant γ as $n_{eff} = \beta c / \omega$. The propagation length L_p is defined as the length for which the field intensity attenuates by a factor of $(1/e)$ and is related to the real part of the propagation constant γ as $L_p = 1/2\alpha$. The surrounding material was silicon dioxide for all simulations, with a refractive index of 1.44. The dimensions of the waveguide core ($a \times b$) were 80nm x 80nm (see inset in Fig. 2). The core of the waveguide was filled with silicon dioxide, silicon or germanium. Silicon was taken to have a refractive index of 3.52. Germanium was modeled with a complex refractive index of $4.23 + 7.8 \times 10^{-2}j$, which corresponds to a power loss absorption coefficient of $\alpha_G = 7540 \text{ cm}^{-1}$ [22]. (For simplicity of simulation, the germanium loss was taken independently of frequency, though the loss does drop off relatively abruptly for wavelengths longer than $\sim 1.5\mu\text{m}$, and there is a slow rise for wavelengths progressively shorter than $\sim 1.5\mu\text{m}$. This particular loss number is characteristic of germanium at a wavelength of $1.3\mu\text{m}$.)




Fig. 2: Effective refractive index for different filling materials in the core. The inset represents the cross section of the slot waveguide structure. The core region has permittivity ϵ_c . (The germanium loss is taken as that at $1.3\mu\text{m}$.)




Fig. 3: Propagation length for waveguides with different filling materials in the core. (The germanium loss is taken as that at $1.3\mu\text{m}$.)

The propagation constants found with the mode solving approach for the slot waveguides with different materials filling the core are shown in Fig. 2 and Fig. 3. For these dimensions, there exist only one propagating bound mode above cut-off. This mode is quasi-TEM with dominant H_y and E_x fields, i.e. the electric field is primarily polarized “horizontally” from one strip to the other and the magnetic field is primarily vertical (see Fig. 1 for coordinate directions).

IV. REFLECTION FROM A FABRY-PEROT STRUCTURE

As a specific structure of interest also for potential applications, e.g. in photodetectors, we consider first a single-slab Fabry-Perot structure embedded in a plasmonic slot waveguide. The structure is shown in Fig. 4. It consists of a slot waveguide where the core region has a different permittivity ϵ_c for a given length L . The dimensions of the waveguide are $(a \times b) = 80\text{nm} \times 80\text{nm}$. The metal used is gold, and extends to infinity in the positive and negative x -directions. The ambient material is silicon dioxide, with a refractive index of 1.44. The waveguide core region is filled with silicon of length varying between 100nm and 800nm. The refractive index of silicon was taken as 3.52, and the silicon is presumed lossless in this simulation. We examined the calculated power reflected from the structure as we varied the cavity length L .




Fig. 4: Fabry-Perot structure. a) Perspective view of the structure. b) Top view of the structure

The power reflected at the front surface of the silicon in a full FDTD simulation of this structure was deduced from the standing wave electrical field amplitudes. We use the absolute value of the electric field at position $z=z_{max}$ where it has a maximum amplitude and at position $z=z_{min}$, where it has minimum amplitude (assuming propagation in the forward z -direction, and $z=0$ as the front surface of the silicon). We find the reflected power using the ratio of the maximum electric field $|E|_{max}$ at position z_{max} and the minimum electric field $|E|_{min}$ at position z_{min} . Defining this ratio as

$$R = \frac{|E|_{max}}{|E|_{min}}, \quad (11)$$

the reflected power is given as

$$|\rho|^2 = \frac{\text{Re}[\exp(-z_{min}/2L_p) - \exp(-z_{max}/2L_p)]}{\text{Re}[\exp(z_{min}/2L_p) + \exp(z_{max}/2L_p)]}, \quad (12)$$

where L_p is the propagation length for a silicon dioxide core waveguide.

We calculated the reflected power expected from the impedance model as

$$|\rho|^2 = \left| \frac{T(2,1)}{T(1,1)} \right|^2. \quad (13)$$

We compare the results of the FDTD simulations to those from the characteristic impedance model. Fig. 5 presents the reflection as a function of length for a wavelength of $1.3\mu\text{m}$. In Fig. 6, we show the reflected spectrum as a function of wavelength in a cavity length L of 650nm . We note that the reflection as calculated from the characteristic impedance model well describes the behavior of the device. The reflection measured in FDTD simulation was a few decibels lower than what was calculated by the impedance model. This discrepancy can be explained by presuming that power is also coupled into radiation modes and higher order modes below cut-off that are excited at the discontinuities and that were not taken into consideration in our single-mode transfer matrix impedance model.




Fig. 5: Reflected power from a Fabry-Pert structure at $\lambda=1.3\mu\text{m}$ as a function of the length of the silicon core section.




Fig. 6: Reflection spectrum of a Fabry-Pert resonator for a length of 650nm .

We calculated the reflection from a structure with two separate pieces of silicon within the guide as a function of their separation distance L_{gap} . In this case, the pieces of silicon are effectively operating as mirrors, forming a Fabry-Pert resonator between them, a resonator that should tune as this separation distance is varied. The two pieces of silicon have the same cross sectional dimensions ($80\text{nm} \times 80\text{nm}$) and are each 100nm long. The reflection at $1.3\mu\text{m}$ as a function of the separation length between the two cavities is shown in Fig. 7. The model well describes the reflection of the structure to a few decibels, and again we expect that the difference between the model and the FDTD simulations may be the result of radiation modes that are neglected in the model.

This transfer matrix model based on the calculated complex mode impedance of the plasmonic metal slot guides thus offers a useful approach at a greatly reduced computing cost compared to full FDTD simulations of the structure.




Fig. 7: Reflection spectrum of two coupled Fabry-Pert resonators at $\lambda=1.3\mu\text{m}$ as a function of their separation distance L_{gap} .

V. DESIGN OF STRUCTURES USING THE CHARACTERISTIC IMPEDANCE MODEL

We can apply the impedance model to design a germanium-based photodetector at $1.3\mu\text{m}$. The design consists of an asymmetric Fabry-Perot resonator, using the first piece of germanium as the front reflector and the primary absorbing region, followed by a back reflector that is designed by alternating different elements of germanium with silicon dioxide spacers, nominally in the form of a Bragg reflector structure (see Fig. 8).




Fig. 8: Asymmetric Fabry-Perot structure. a) Perspective view. b) Top view.

The structure had the same cross section as the one depicted in Fig. 2, with dimensions $a \times b$ of $80\text{nm} \times 80\text{nm}$. We used SiO_2 as the surrounding material, with refractive index of 1.44. At $1.3\mu\text{m}$, the germanium has a complex refractive index of $4.23 + 7.8 \times 10^{-2}j$, which corresponds to a power loss absorption coefficient in bulk germanium of $\alpha_G = 7540 \text{ cm}^{-1}$ as before.

The back reflector was designed by considering unit cells of the Bragg reflector structure. The unit cell consists of a cross section with silicon dioxide in the core for a propagation length of L_A , followed by a similar structure but filled in the core with germanium for a propagation length of L_B . The unit cell was designed such that no field would propagate through the entire structure if the unit cell were repeated a large number of times. For the given refractive indices of silicon dioxide and germanium, a length of 190nm for both L_A and L_B would create a Bragg back reflector at $1.3\mu\text{m}$.

Using the characteristic impedance model, we then calculated the length of the photodetector L that would maximize the absorbed power in this cross section. For a length of 260nm , the impedance model shows that the amount of reflected power is less than 1% when two unit cells are used as the Bragg back reflector (as in Fig. 8). The amount of power reflected from the asymmetric Fabry-Perot as a function of the wavelength is shown in Fig. 9. We note that

the model correctly predicts the shape of the reflection spectrum and its minimal value at $1.3\mu\text{m}$. FDTD simulations also showed a reflected power of less than 1% at that wavelength.




Fig. 9: Reflection at the front surface of an asymmetric Fabry-Perot structure for a photodetector length L of 260nm .

The amount of power absorbed in this device by different portions of the structure is shown in Fig. 10 as calculated by the FDTD. There are two loss mechanisms in this structure: the loss due to attenuation of the propagating fields in the metal and the absorption in the germanium semiconductor that contributes to photocurrent. The fraction of power absorbed into a given volume can be calculated from the power flowing into this closed surface less the power flowing out of it.

At $1.3\mu\text{m}$, 30.9% of the power was absorbed in the metal past the front surface. The germanium elements, which represent a volume of $4.1 \times 10^{-3} \mu\text{m}^3$ absorbed 69.0% of the total power. The first section of germanium, which consists of a cube of $80\text{nm} \times 80\text{nm} \times 260\text{nm}$ absorbed 54.1% of the incoming power. Also, the absorption peak occurs at $1.3\mu\text{m}$, where the photodetector was designed to operate. Assuming full quantum efficiency, this detector would have a responsivity of 0.72 A/W at $1.3 \mu\text{m}$.

Such a device could be fabricated from germanium on insulator wafers by first patterning the germanium and subsequently depositing metal with a lift-off process. The two metal stripes on each sides of the germanium could be used to bias the photodetector and create a metal-semiconductor-metal junction. Light could be coupled at the end of the device by a dielectric waveguide or an optical fiber, or by a nanometallic scatterer located close to the waveguide, though such coupling mechanisms remain subject for further investigation.




Fig. 10: Absorbed power in the asymmetric Fabry-Perot photodetector. (The germanium loss is taken as that at 1.3μm.)

VI. CONCLUSION

We presented a simple model to account for the transmission properties of a plasmonic metal slot waveguide with discontinuities in the propagation direction. We showed that this model accurately modeled the properties of interconnected slot waveguides with different materials filling the core region. This model can be readily applied to design structures without extensive time-domain simulations. As an example, we designed an asymmetric Fabry-Perot waveguide photodetector with minimal front surface reflection. The designed photodetector absorbed 69% of the incident power in a volume $4.1 \times 10^{-3} \mu\text{m}^3$. We also therefore conclude that useful nanoscale photodetectors will be possible by such techniques and we expect such devices would have a large electrical operating bandwidth due to their physical size and a corresponding small capacitance.

ACKNOWLEDGMENT

The authors acknowledge discussions with G. Veronis and would like to thank the anonymous reviewers for their valuable comments.

REFERENCES

- [1] P. Berini. "Plasmon polariton modes guided by a metal film of finite width." *Optics Letters*, 24(15):1011–1013, August 1999.
- [2] J.-C. Weeber, A. Dereux, C. Girard, J. R. Krenn, and J.-P. Goudonnet. "Plasmon polaritons of metallic nanowires for controlling submicron propagation of light." *Physical Review B*, 60(12):9061–9068, 1999.
- [3] R. Zia, A. Chandran, and M. L. Brongersma. "Dielectric waveguide model for guided surface polaritons." *Optics Letters*, 30(12):1473–1475, June 2005.
- [4] M. L. Brongersma, J. W. Hartman, and H. A. Atwater. "Electromagnetic energy transfer and switching in nanoparticle chain arrays below the diffraction limit." *Physical Review B*, 62(24):R16356+, December 2000.
- [5] J. R. Krenn. "Light field propagation by metal micro- and nanostructures." *Journal of Microscopy*, 202:122–128, April 2001.
- [6] S. A. Maier, P. G. Kik, H. A. Atwater, S. Meltzer, E. Harel, B. E. Koel, and A. A. Requicha. "Local detection of electromagnetic energy

transport below the diffraction limit in metal nanoparticle plasmon waveguides." *Nature Materials*, 2(4):229–232, April 2003.

- [7] G. Veronis and S. Fan. "Guided subwavelength plasmonic mode supported by a slot in a thin metal film." *Optics Letters*, 30(24):3359–3361, December 2005.
- [8] L. Liu, Z. Han, and S. He. "Novel surface plasmon waveguide for high integration." *Optics Express*, 13(17):6645–6650, August 2005.
- [9] J.A. Dionne, H.J. Lezec and H.A. Atwater, "Highly confined photon transport in subwavelength metallic slot waveguides," *Nano Letters*, vol. 6, no. 9, pp. 1928-1932, 2006
- [10] R. Zia, M.D. Selker, P.B. Catrysse and M.L. Brongersma, "Geometries and materials for subwavelength surface plasmon modes," *J. Opt. Soc. Am. A*, vol. 21, no. 12, pp. 2442-2446, Dec. 2004.
- [11] G. Veronis and S. Fan. "Bends and splitters in metal-dielectricmetal subwavelength plasmonic waveguides." *Applied Physics Letters*, 87(13):131102, 2005.
- [12] T.-W. Lee and S. Gray. "Subwavelength light bending by metal slit structures." *Optics Express*, 13(24):9652–9659, November 2005.
- [13] G. Veronis and S. Fan. "Theoretical investigation of compact couplers between dielectric slab waveguides and two-dimensional metal-dielectricmetal plasmonic waveguides." *Optics Express*, 15(3):1211–1221, February 2007.
- [14] I. Breukelaar and P. Berini, "Long range surface plasmon polariton mode cutoff and radiation in slab waveguides," *J. Opt. Soc. Am. A*, Vol. 23, No. 8, pp. 1971-1977, Jan. 2006.
- [15] R. Charbonneau, C. Scales, I. Breukelaar, S. Fafard, N. Lahoud, G. Mattiussi and P. Berini, "Passive integrated optics elements based on long-range surface plasmon polaritons," *J. Lightw. Technol.*, Vol. 24, No. 1, pp. 477-494, Jan. 2006.
- [16] I. Breukelaar, R. Charbonneau and P. Berini, "Long-range surface plasmon-polariton mode cutoff and radiation in embedded strip waveguides," *J. Appl. Phys.* 100, 043104, 2006.
- [17] A. Wexler. "Solution of waveguide discontinuities by modal analysis," *IEEE Trans. Microwave Theory Tech.*, vol. 15, pp. 508-517, Sept. 1967.
- [18] F. Arndt, J. Brandt, V. Catina, J. Ritter, I. Rullhusen, J. Dauelsberg, U. Hilgefort and W. Wessel, "Fast CAD and optimization of waveguide components and aperture antennas by hybrid MM/FE/MoM/FD Methods," *IEEE Trans. Microwave Theory Tech.* Vol. 52, pp. 292-305, Jan. 2004.
- [19] P. Lusse, P. Stuwe, J. Schule and H.G. Unger, "Analysis of vectorial mode fields in optical waveguides by a new finite difference method," *IEEE J. Lightwave Tech.*, Vol. 12, pp.487-494, March 1994.
- [20] A. Taflove and S. Hagness, *Computational Electrodynamics: The Finite-Difference Time-Domain Method*, 3rd ed. Boston, MA: Artech House, 2005.
- [21] E.D. Palik, *Handbook of Optical Constants of Solids*, Academic, 1985.
- [22] S. Adachi, *Optical Constants of Crystalline and Amorphous Semiconductors: Numerical Data and Graphical Information*, Springer, 1999.



Dany-Sebastien Ly-Gagnon received the B.S. in electrical engineering from Ecole Polytechnique of Montreal, Canada and the M.S. in electronics engineering from University of Tokyo, Japan in 2002 and 2004, respectively. He is currently working towards the Ph.D. degree in electrical engineering at Stanford University, where his research interests involve optical transmission systems and optoelectronic devices for optical interconnects.



Sukru Ekin Kocabas received the B.S. and M.S. degrees in electrical engineering from Bilkent University, Ankara, Turkey and Stanford University, Stanford, CA, USA in 2002 and 2004 respectively. Currently, he is a Ph.D. student majoring in electrical engineering with a minor in physics. He has been a member of IEEE since 2000. His main research interest is modeling and fabrication of nanophotonic optoelectronic

devices.



David A.B. Miller received the B.Sc. degree from St Andrews University, and the Ph.D. degree from Heriot-Watt University, in 1979, both in Physics.

He was with Bell Laboratories, from 1981 to 1996, as a department head from 1987, latterly of the Advanced Photonics Research Department. He is currently the W. M. Keck Professor of Electrical Engineering at Stanford University, Stanford, CA, the Director of the Solid State and Photonics Laboratory at Stanford and a Co-Director of the Stanford Photonics Research Center. He also served as Director of the Ginzton Laboratory at

Stanford from 1997-2006. His research interests include nanophotonic and quantum-confined optoelectronic physics and devices, and fundamentals and applications of optics in information sensing, switching, and processing. He has published more than 200 scientific papers, delivered more than 100 conference invited talks, and holds 62 patents.

Dr. Miller has served as a Board member for both the Optical Society of America (OSA) and the IEEE Lasers and Electro-Optics Society (LEOS), and in various other society and conference committees. He was President of the IEEE Lasers and Electro-Optics Society in 1995. He has also served on Boards for various photonics companies. He was awarded the Adolph Lomb Medal and the R. W. Wood Prize from the OSA, the International Prize in Optics from the International Commission for Optics, and the IEEE Third Millennium Medal. He is a Fellow of the Royal Societies of London and Edinburgh, OSA, APS, and IEEE, and holds honorary degrees from the Vrije Universiteit Brussel and Heriot-Watt University.